

*Atlas Copco*

# XAS 375 JD6

**PORTABLE AIR COMPRESSORS**

**AVAILABLE FOR  
RENT OR SALE**

**ATS**  
**EQUIPMENT INC.**

[www.atsequipment.com](http://www.atsequipment.com)

The next big thing is small Atlas Copco is the leading manufacturer of portable compressed air machines in the world, and through constant research and technology, superior products are developed. The combination of performance, reliability, economy and convenience has resulted in an innovative range of single axle high capacity air compressors used in a variety of industries.



**ATS EQUIPMENT INC.**

**Construction Equipment & Supplies**

**Rentals • Sales • Service**

**BOSTON, MA**  
**(617) 825-3600**

**AUBURN, MA**  
**(508) 832-8500**

**CANDIA, NH**  
**(603) 483-2100**

**ATS EQUIPMENT INC**

BOSTON MA – (617) 825-3600

AUBURN MA – (508) 832-8500

CANDIA NH – (603) 483-2100

# Atlas Copco XAS 185 JD7

**Portable air compressors** www.atsequipment.com



**THE OPTIONS YOU NEED FOR ALL YOUR SPECIFIC APPLICATIONS**

These portable compressors are workhorses. Featuring Atlas Copco’s new C111 element for improved compression efficiency, the XAS 375 JD6 and the XATS375 JD6 are ideal for demanding applications including sandblasting and plumbing. The XC 2002 control module with LCD display puts integrated engine electronics for performance and diagnostics at your fingertips.

- Extremely reliable John Deere engine.
- Tier 3 exhaust emission compliance
- Operates under widely varying climatic conditions, water cooled engine, large capacity oil cooling system, high efficiency heavy-duty two-stage intake filters (with cartridge replacement indicators)
- Highly efficient oil extracting system means low oil consumption.
- Large capacity fuel tank placed low for good road handling and easy filling.
- Gull wing doors for easy access to engine and components.
- Few moving parts, minimum mechanical wear
- Rugged and reliable, needing little maintenance.

**TECHNICAL SPECIFICATIONS**

MODEL COMPRESSOR		XAS 375 JD6
Actual free air delivery		375 CFM
Normal working pressure		102 PSI
Maximum unloading pressure		123 PSI
Minimum working pressure		58 PSI
Outlet valve configuration		2 X $\frac{1}{2}$ & 1 X 1 $\frac{1}{2}$ with claw couplings
Sound level pressure at normal working pressure and maximum load speed		76 dB (a) @ 23 Feet
ENGINE JOHN DEERE		
Type		4045HF285 Tier 3
Number of Cylinders		4
Cooling System		Water
Capacity of oil sump (approx)		2.3 Gallons
Capacity of fuel tank		38 Gallons
Horse Power		45 BHP
UNIT DIMENSIONS ( WHEEL MOUNTED)		
Length		145in
Width		72in
Height		71in
Dry Weight		3510 lbs
Wet Weight		3860 lbs
Tire Size		ST225/75R15
Tire Pressure		65 PSI
Maximum Towing speed		50 MPH
UNIT DIMENSIONS (SKID MOUNTED)		
Length		104in
Width		55in
Height		68in
Dry Weight		3570 lbs
Wet Weight		3920 lbs



**AVAILABLE FOR RENT OR SALE**

**ATS EQUIPMENT INC. Construction Equipment & Supplies Rentals • Sales • Service**

<b>BOSTON, MA</b> <b>(617) 825-3600</b>	<b>AUBURN, MA</b> <b>(508) 832-8500</b>	<b>CANDIA, NH</b> <b>(603) 483-2100</b>
--	--	--